

PATENT
Atty. Dkt. No. WEAT/0416

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**In re Application of:
Jones**

Serial No.: 10/647,014

Confirmation No.: 1470

Filed: August 22, 2003

For: Flow Meter Using an Expanded Tube Section and Sensitive Differential Pressure Measurement

١٠٠

Group Art Unit: 2855

Examiner: Patel, H.

Customer No. 36735

RECEIVED
CENTRAL FAX CENTER
DEC 21 2004


MAIL STOP AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

CERTIFICATE OF FAX
37 CFR 1.8

I hereby certify that this correspondence is being facsimile transmitted to the Patent and Trademark Office to fax number 703/872-9306 to the attention of Examiner Harshad Patel on the date below:

December 21, 2004
Date


Signature

RESPONSE TO OFFICE ACTION DATED AUGUST 27, 2004

In response to the Office Action dated August 27, 2004, having a shortened statutory period for response set to expire on November 27, 2004, please enter this response and reconsider the claims pending in the application for reasons discussed below. Although Applicant believes that no fee is due with this response, the Commissioner is hereby authorized to charge counsel's Deposit Account No. 20-0782WEAT/0416/WBP for any fees, including extension of time fees or excess claim fees, required to make this response timely and acceptable to the Office.

A listing of the claims begins on page 2 of this paper. Remarks/Arguments begin on page 7 of this paper.